

# RECEIVED

### SEP 0 9 2002

## **TECH CENTER 1600/2900**





DATE: 09/04/2002

TIME: 11:57:34

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/724,586

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

1 <110> APPLICANT: Sakowicz, Roman Goldstein, Lawrence S. B. The Regents of the University of California 4 <120> TITLE OF INVENTION: Identification and Expression of a Novel Kinesin Motor Protein 6 <130> FILE REFERENCE: 18557C-000710US 7 <140> CURRENT APPLICATION NUMBER: 09/724,586 8 <141> CURRENT FILING DATE: 2000-11-28 10 <150> PRIOR APPLICATION NUMBER: US/09/235,416 11 <151> PRIOR FILING DATE: 1999-01-22 ENTERED 14 <150> PRIOR APPLICATION NUMBER: WO PCT/US99/01355 15 <151> PRIOR FILING DATE: 1999-01-22 16 <150> PRIOR APPLICATION NUMBER: US 60/072,361 17 <151> PRIOR FILING DATE: 1998-01-23 18 <160> NUMBER OF SEQ ID NOS: 7 19 <170> SOFTWARE: PatentIn Ver. 2.0 21 <210> SEQ ID NO: 1 22 <211> LENGTH: 784 23 <212> TYPE: PRT 24 <213> ORGANISM: Thermomyces lanuqinosus 25 <220> FEATURE: 26 <223> OTHER INFORMATION: TL-gamma ATP-dependent plus end-directed microtubule motor protein 28 <220> FEATURE: 29 <221> NAME/KEY: DOMAIN 30 <222> LOCATION: (1)..(357) 31 <223> OTHER INFORMATION: kinesin-like microtubule motor domain 32 <220> FEATURE: 33 <221> NAME/KEY: DOMAIN 34 <222> LOCATION: (358)..(442) 35 <223> OTHER INFORMATION: neck domain links motor domain to stalk domain 36 <220> FEATURE: 37 <221> NAME/KEY: DOMAIN 38 <222> LOCATION: (443)..(601) 39 <223> OTHER INFORMATION: stalk domain, unc-104 family domain 40 <220> FEATURE: 41 <221> NAME/KEY: DOMAIN 42 <222> LOCATION: (602)..(784) 43 <223> OTHER INFORMATION: tail domain 44 <400> SEQUENCE: 1 45 Met Ser Gly Gly Asn Ile Lys Val Val Val Arg Val Arg Pro Phe 46 10

Asn Ala Arg Glu Ile Asp Arg Gly Ala Lys Cys Ile Val Arg Met Glu

47

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

48				20					25					30		
49	Gly	Asn	Gln	Thr	Ile	Leu	Thr	Pro	Pro	Pro	Gly	Ala	Glu	Glu	Lys	Ala
50			35					40					45			
51	Arg	Lys	Ser	Gly	Lys	Thr	Ile	Met	Asp	Gly	Pro	Lys	Ala	Phe	Ala	Phe
52		50					55					60				
53	Asp	Arg	Ser	Tyr	Trp	Ser	Phe	Asp	Lys	Asn	Ala	Pro	Asn	Tyr	Ala	Arg
54	65					70					75					80
55	Gln	Glu	Asp	Leu	Phe	Gln	Asp	Leu	Gly	Val	Pro	Leu	Leu	Asp	Asn	Ala
56					85					90					95	
57	Phe	Lys	Gly	_	Asn	Asn	Cys	Ile		Ala	Tyr	Gly	Gln	Thr	Gly	Ser
58	_			100				_	105	_				110		
59	Gly	Lys		Tyr	Ser	Met	Met	-	Tyr	Gly	Lys	Glu		Gly	Val	Ile
60			115					120					125			
61	Pro	-	Ile	Cys	Gln	Asp		Phe	Arg	Arg	Ile		Glu	Leu	Gln	Lys
62	_	130	_	_		_	135		-1		_	140	_	~ 3	-1	_
63	_	Lys	Asn	Leu	Thr	_	Thr	Val	GIU	val		Tyr	Leu	GIU	ITe	
64	145	<b>a</b> 1	<b>3</b>	77- 7		150	<b>T</b>	<b>T</b>	<b>.</b>	<b>5</b>	155	m}	<b>T</b>	<b>61</b>	<b>3</b>	160
65	Asn	GIU	Arg	vaı		Asp	ьeu	Leu	Asn		ser	Thr	гля	GIA		Leu
66 67	Trra	37-1	7 ~~	C1.,	165	Dro	Cor	Шhъ	C1	170	Шттт	1703	C1	7 an	175	77-
68	ту	Val	AIG	180	птр	PIO	Ser	THE	185	PIO	TAT	val	GLU	190	ьеu	Ата
69	Luc	Len	Val		λνα	Sar	Dha	Gln		Tla	Glu	λcn	Lau		λen	Glu
70	шуз	цец	195	Val	AIG	Ser	FILE	200	GIU	116	GIU	ASII	205	ricc	nsp	Giu
71	Glv	Asn		Ala	Ara	Thr	Val		Ala	Thr	Asn	Met		Glu	Thr	Ser
72	011	210					215				11011	220		014		501
73	Ser		Ser	His	Ala	Val		Thr	Leu	Thr	Leu		Gln	Lvs	Trp	His
74	225					230					235			-		240
75	Asp	Glu	Glu	Thr	Lys	Met	Asp	Thr	Glu	Lys	Val	Ala	Lys	Ile	Ser	Leu
76					245		_			250			_		255	
77	Val	Asp	Leu	Ala	Gly	Ser	Glu	Arg	Ala	Thr	Ser	Thr	Gly	Ala	Thr	Gly
78				260					265					270		
79	Ala	Arg	Leu	Lys	Glu	Gly	Ala	Glu	Ile	Asn	Arg	Ser	Leu	Ser	Thr	Leu
80			275					280					285			
81	Gly	Arg	Val	Ile	Ala	Ala	Leu	Ala	Asp	Met	Ser	Ser	Gly	Lys	Gln	Lys
82		290					295					300				
83	_	Asn	Gln	Leu	Val		Tyr	Arg	Asp	Ser		Leu	Thr	Trp	Leu	Leu
84	305				_	310					315					320
85	Lys	Asp	Ser	Leu	_	Gly	Asn	Ser	Met		Ala	Met	Ile	Ala		Ile
86	_	_		_	325	_				330	_	_		_	335	_
87	Ser	Pro	Ala		Ile	Asn	Phe	Glu		Thr	Leu	Ser	Thr		Arg	Tyr
88		•	<b>a</b>	340	•	<b>.</b>		<b>-</b>	345					350	<b>a</b> 1	_
89	Ата	Asp		Ата	гаг	Arg	Ile		Asn	HIS	Ala	vaı		Asn	GIU	Asp
90 91	Dro	A a n	355	7 ~~	Mo+	т1 о	7 ~~	360	T 0	T	C1	c1	365	21-	~1 m	T 0
92		370	Ата	Arg	Met	116	Arg 375	GIU	ьeu	гуу	GIU	380	Leu	Ald	GIII	ьeu
93			T 110	Tou	Cln	cor		C1 **	C1.,	C1.,	C1.,		C1	717	C1.	C1
94	385	261	пур	ьеu	GIII	390	261	GIA	GTĀ	ату	395	сту	GTĀ	нта	GIA	Gly 400
95		Glv	Glv	Pro	Va 1		Glu	Ser	ጥኒንኍ	Pro		Aen	Thr	Pro	T.e.u	
96	551	O L Y	- r y	110	405	oru.	O L U	UCI	-1-	410	110	113 P	T.11	110	415	JIU
- 0					- 0 0					410					417	

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

97 98	Lys	Gln	Ile	Val 420	Ser	Ile	Gln	Gln	Pro 425	Asp	Ala	Thr	Val	Lys 430	Lys	Met
99	Ser	Lvs	Ala		Tle	Val	Glu	Gln		Asn	Gln	Ser	Glu		Leu	Ͳvr
100	001	270	435				014	440			· · · ·	001	445	_		-1-
101	Arc	r Ast	Leu		Gln	Thr	Trp			Lvs	Leu	Ala			Glu	Gĺu
102		450					455			1-		460	_			
103	Il€			Glu	Ara	Glu			Lei	ı Glu	ı Glu			, Ile	Ser	Ile
104	465		1		,	470					475		2			480
105			Gly	Phe	Val	Glv	Pro	Tvr	His	s Ser			Met	. Pro	His	
106		1 -	1		485			-1-		490					495	
107	Val	. Asr	ı Leu	Ser	Asp	Asp	Pro	Leu	ı Leı			Cys	Leu	. Val		
108				500	_	-			505			•		510	_	
109	Ile	Lys	Pro	Gly	Gln	Thr	Arg	Val	. Gly	/ Asr	Val	Asn	Glr	Asp	Thr	Gln
110		•	515				_	520		'			525			
111	Ala	Glu	ı Ile	Arg	Leu	Asn	Gly	Ser	Lys	: Ile	Leu	Lys	Glu	. His	Cys	Thr
112		530		_			535		-			540			_	
113	Phe	e Glu	ı Asn	Val	Asp	Asn	Val	Val	. Thi	: Ile	. Val	Pro	Asn	Glu	Lys	Ala
114	545	5				550	)				555	5				560
115	Ala	ι Val	Met	Val	Asn	Gly	Val	Arg	, Ile	asp	Lys	Pro	Thr	Arg	Leu	Arg
116					565					570	)				575	
117	Ser	Gly	y Tyr	Arg	Ile	Ile	Leu	Gly	Asp	Phe	: His	Ile	Phe	arg	Phe	Asn
118				580					585	5				590		
119	His	Pro	Glu	Glu	Ala	Arg	Ala	Glu	ı Arg	g Glr	Glu	Glr	Ser	Leu	Leu	Arg
120			595					600	)				605	5		
121	His	Sei	. Val	Thr	Asn	Ser	Gln	Let	ı Gly	y Ser	Pro	Ala	Pro	Gly	Arg	His
122		610	)				615					620	)			
123	Asp	Arg	y Thr	Leu	Ser	Lys	Ala	Gly	y Sei	Asp	Ala	Asp	Gly	' Asp	Ser	Arg
124	625					630					635					640
125	Ser	Asp	Ser	Pro			) His	Phe	Arc			Asp	Ser	Asp	Trp	Phe
126					645					650					655	
127	Туr	Ala	a Arg			Ala	Ala	Ser			e Leu	Gly	Let			Lys
128		_	•	660		_	_		665			_		670		
129	TIE	e Ser			Thr	Asp	Asp			ı Asp	) Ala	Let		_	Asp	Val
130	<b>a</b> 1		675		31-	**- 1	3	680		<b></b>		<b>01.</b>	685		<b>01</b>	
131	GIT	. ьуз	Ala	Arg	Ala	vaı	695		(GTZ	лет	ı vaı		_	) Asn	GLU	Asp
132	Cor			Cln	Con	Cor			. 17-1	7 ~ 0	. 700	700		. Mot	C 0 **	7.00
133 134	705		) Ser	GIII	ser	710		PIC	val	Arg	715		туг	Met	Ser	Asn 720
135			· Tle	λcn	λαη			Tou	. 700	, mb,	. — -		. mh.∗	. Mot	Dro	Gly
136	GLY	1111												Met		
137	Пhх	Dro														Lys
138	T 111	FIC	AIG	740		ASP	Asp	GLY	745		. neu	Pile	: Pile	750		цуѕ
139	T.376	. Ser	· T.ve			בומ	Ser	λcr			. Val	Glu	Clu			Gln
140	בעב	. 501	. 195 755		1125	111 G	· JCI	760		. ASE	, tal	. 510	765		9	0111
141	Glr	Glr			Met	Glu	Glii			1 T.vc	ጥኮተ	· Ala			Glu	Phe
142	J_1.	770		· · ·			775			- <u>-</u> -		780			JIU	
144 <210	> SEC			2												
145 <211																
146 <212				_												
<del></del>																

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

147 <213> ORGANISM: Thermomyces lanuginosus

```
148 <220> FEATURE:
149 <223> OTHER INFORMATION: TL-gamma ATP-dependent plus end-directed
          microtubule motor protein
151 <400> SEQUENCE: 2
152
          atgtcgggcg gtggaaatat caaggtggtg gtgcgggtac gcccgttcaa cgcccgagaa 60
          atcgaccgtg gcgcaaaatg tattgtgcgg atggaaggaa atcaaaccat cctcacccct 120
153
          cctccgggtg ccgaagagaa ggcgcgtaaa agtggcaaaa ctattatgga tggcccgaag 180
154
155
          gcatttgcgt tcgatcggtc gtattggtcc tttgacaaga atgctcccaa ctatgcgaga 240
156
          caggaagacc tattccaaga tctcggagtc ccgcttctgg ataatgcatt caagggttat 300
157
          aacaattgta tettegeeta eggteagace ggttegggea agteetatte aatgatggge 360
158
          tatggcaagg agcatggcgt gatcccgcgg atttgccagg acatgttccg gcgtattaat 420
          qaactqcaqa aggacaaqaa cctcacttqc accqtcqaag tttcqtactt ggaaatttac 480
159
          aatgaacgag tgcgagactt gctgaatccg tcgacaaagg ggaatctcaa ggtccgagaa 540
160
161
          cacccgtcga ccggccccta cgtggaggac ttggcgaagc tggtcgtgcg atcattccaa 600
162
          gaaatcgaaa atctcatgga tgagggcaac aaagccagaa cggttgccgc cacaaacatg 660
          aacgagacat ccagtcgatc ccacgccgtc ttcactttga ccttgacgca aaagtggcat 720
163
          qatqaaqaqa ccaaaatqqa cacaqaqaaq qttqcqaaqa tcaqtctqqt agatttqqcg 780
164
          ggttctgagc gagcaacgtc caccggagct actggagcgc gactgaagga gggtgcagag 840
165
          atcaaccgct cactttcgac cctaggtcgt gtgattgcag cgctagcgga tatgtcgtcg 900
166
167
          qqaaaacaqa aqaaqaatca qttaqtacct taccqaqatt cqqtactqac gtgqcttctg 960
168
          aaggacteet tgggaggeaa etegatgace geeatgattg cegeeattte geetgetgat 1020
          attaactttg aagagactct cagtaccctt cgatatgcgg actctgcgaa gcgaatcaag 1080
169
          aaccacgcag tggtcaatga agacccgaac gcgcggatga tccgcgagtt gaaggaggaa 1140
170
171
          ctcgcgcagc tgaggagcaa actccagagc agtggtggag gtggaggtgg tgcaggaggt 1200
172
          tctggcgggc cagtggagga atcgtacccg cccgacacgc cgctcgagaa gcaaatcgtg 1260
          tegatteage ageeggatge gaeagteaag aaaatgagea aggeagaaat egtggageaa 1320
173
          ctgaaccaga gtgagaagct ctatcgggat ctcaatcaga cctgggaaga gaagctggcc 1380
174
175
          aagaccgagg aaatccacaa ggaacgagaa gcggcgctcg aggagctggg tatcagcatc 1440
176
          qaaaaqqqct ttqttqqccc ttaccactcc aaaqaaatgc cacatctagt caacttgagc 1500
177
          gatgatecte ttetggetga gtgtettgte tacaacatea agecegggea gacaagggtt 1560
178
          ggaaacqtca accaagatac acaagcggaa attcgtctga acggttcgaa gatcctgaaa 1620
179
          gaacactgta cgtttgaaaa tgtggacaac gttgtgacca tcgtgccaaa cgagaaggct 1680
180
          gctgtcatgg tgaacggcgt gcgaatcgac aagcctactc gcctccgcag cggctacagg 1740
181
          atcatcctqq qcqatttcca catttttcqa ttcaaccatc cqqaaqaaqc tcqtqcqgaa 1800
          cggcaagaac aatcettget tegecattet gteaceaaca gteagttggg ttegeetget 1860
182
183
          ccaggccgtc acgaccggac actgagcaag gcgggttcgg atgcggacgg cgattctcgc 1920
          tcagattctc ctttgccgca ctttcgtgga aaggatagcg actggttcta tgctcgcagg 1980
184
185
          gaagetgeta gegegateet agggttggat cagaagatet eteatetgae agatgaegag 2040
186
          ttggatgcat tatttgacga tgttcagaaa gcgcgggcag ttcgtcgtgg gctggtcgaa 2100
          gacaacgaag atagcgattc gcagagttcg tttccggtcc gtgacaaata catgtccaat 2160
187
188
          qqaaccattg ataatttctc gctcgatacc gccattacta tgccgggtac ccctcgtagt 2220
189
          gatgacgacg gtgacgcgct gttttttggt gataagaagt cgaaacagga tgcgtctaat 2280
190
          gttgatgttg aggagttgcg tcaacagcag gctcagatgg aagaagccct gaaaacagcg 2340
191
          aagcaggaat tc
                                                                             2352
193 <210> SEQ ID NO: 3
194 <211> LENGTH: 21
195 <212> TYPE: DNA
196 <213> ORGANISM: Artificial Sequence
```

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

197 <220> FEATURE: 198 <223> OTHER INFORMATION: Description of Artificial Sequence:primer 199 <400> SEQUENCE: 3 atgtcgggcg gtggaaatat c 202 <210> SEQ ID NO: 4 203 <211> LENGTH: 23 204 <212> TYPE: DNA 205 <213> ORGANISM: Artificial Sequence 206 <220> FEATURE: 207 <223> OTHER INFORMATION: Description of Artificial Sequence:primer 208 <400> SEQUENCE: 4 23 209 gaattcctgc ttcgctgttt tca 211 <210> SEO ID NO: 5 212 <211> LENGTH: 30 213 <212> TYPE: DNA 214 <213> ORGANISM: Artificial Sequence 215 <220> FEATURE: 216 <223> OTHER INFORMATION: Description of Artificial Sequence: degenerate 217 forward primer 218 <220> FEATURE: 219 <221> NAME/KEY: modified\_base 220 <222> LOCATION: (25) 221 <223> OTHER INFORMATION: n = a, c, g or t222 <400> SEQUENCE: 5 30 W--> 223 gcgcggatcc atyttygcht ayggncarac 225 <210> SEQ ID NO: 6 226 <211> LENGTH: 30 227 <212> TYPE: DNA 228 <213> ORGANISM: Artificial Sequence 229 <220> FEATURE: 230 <223> OTHER INFORMATION: Description of Artificial Sequence: degenerate 231 reverse primer 232 <220> FEATURE: 233 <221> NAME/KEY: modified\_base 234 <222> LOCATION: (16) 235 <223> OTHER INFORMATION: n = a, c, g or t236 <220> FEATURE: 237 <221> NAME/KEY: modified\_base 238 <222> LOCATION: (28) 239 <223> OTHER INFORMATION: n = a, c, g or t 240 <400> SEQUENCE: 6 W--> 241 gcgcgaattc tcdganccdg cvarrtcnac 30 243 <210> SEQ ID NO: 7 244 <211> LENGTH: 30 245 <212> TYPE: DNA 246 <213> ORGANISM: Artificial Sequence 247 <220> FEATURE: 248 <223> OTHER INFORMATION: Description of Artificial Sequence: degenerate 249 reverse primer

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:5; N Pos. 25
Seq#:6; N Pos. 16,28
Seq#:7; N Pos. 16,28

### Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 4

VERIFICATION SUMMARY DATE: 09/04/2002 PATENT APPLICATION: US/09/724,586 TIME: 11:57:36

Input Set : N:\Crf3\RULE60\09724586.raw
Output Set: N:\CRF4\09042002\I724586.raw

L:223 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0 L:241 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0 L:259 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0